FUBLIC ADDRESS
SOUND REINFORCEMENT
SYSTEMS



If You Didn't Get This From My Site, Then It Was Stolen From...

www SteamPoweredRadio Com

Kustom

PUBLIC ADDRESS



II PA ENERGIZER

60 Watts RMS
4 Channels, 4 HiZ Inputs
Individual Channel Controls:
Gain, LF Equalizer, HF Equalizer,
Reverb Send
Master Controls:
Main Level, Master Reverb,
Presence
Powered Monitor Output
H/W/D: 7%"x20"x17"
Wt.: 38 lbs.



III PA COLUMN

2-12" Speakers 38 oz. Magnet, 1½" Voice Coil 2-10" Speakers 10 oz. Magnet, 1" Voice Coil 8 Ohms, 2 Required H/W/D: 56" x 16" x 10" Wt.: 83 lbs.



10 oz. Magnet, 1" Voice Coil 8 Ohms, 2 Required H/W/D: 48"x14"x10" Wt.: 61 lbs.



III PA ENERGIZER

6 Channels, 2 HiZ Inputs per Channel Individual Channel Controls:
Gain, LF Equalizer, HF Equalizer,
Reverb Send
Master Controls:
Main Level, Master Reverb,
Presence
7-Band Equalizer, 125-B,000Hz
Provision for External Echo
Powered Monitor Output
H/W/D: 7½"x24"x19¾"
Wt.: 52 lbs.



II PA COLUMN

2-10" Speakers 10 oz. Magnet, 1" Voice Coil 16 Ohms, 2 Required H/W/D: 28" 14" x 10" Wt.: 40 lbs.

II MONITOR CABINET

Self-Contained Level Control Speaker configuration and dimensions identical to II PA Column





II PA



II A-PA



III PA



VI PA ENERGIZER

Active Crossover @ 1,000Hz 125 Watts Low, 75 Watts High 6 Channels HiZ and LoZ Inputs per Channel Individual Channel Controls: Slide Gain, LF Equalizer, HF Equalizer, Reverb Send Master Controls: Main Level, Horn Level, Master Reverb, Monitor Signal LED Peak Level Indicator 7-Band Equalizer, 125-8,000Hz H/W/D: 8" x 28%" x 24%"



Wt.: 64 lbs.

III A-PA COLUMN

38 oz. Magnet, 11/2" Voice 120° Radial Horn E-V 1823-M Horn Driver Passive Crossover @ 1,000Hz Horn Level Switch (High/Low) 8 Ohms, 2 Required H/W/D: 48" x 21" x 13" Wt.: 118 lbs.



M-15 HORN

120° Radial Horn E-V 1823-M Driver H/W/D: 12"x30"x13" Wt.: 55 lbs.

MT-15 HORN-TWEETER

120° Radial Horn E-V 1823-M Horn Driver E-V ST 350-A 120° Radial Tweeter Passive Crossover @ 7,000Hz All Plywood Cabinetry H/W/D: 12"x30"x13" Wt.: 55 lbs.



FLH-15 SRO CABINET

77 oz. Magnet, 21/2" Voice Coil Horn/Bass Reflex Cabinet Design 8 Ohms 35Hz Cutoff Frequency

All Plywood Cabinetry H/W/D: 341/2" x 30" x 231/4" Wt.: 145 lbs.

FLH-15 CABINET

15" Heavy Duty Speaker 54 oz. Magnet, 2" Voice Coil 8 Ohms Horn/Bass Reflex Cabinet Design

40Hz Cutoff Frequency H/W/D: 34½"x30"x23%" Wt.: 155 lbs.

All Power Rated at 1% THD, 1,000Hz.



III A-PA





VI A-PA

Rustom

MIXERS & SLAVES


VIII SRM

8 Channel Mixer HiZ and LoZ Inputs per Channel Individual Channel Controls

Slide Gain, LF Equalizer, HF Equalizer, Reverb Send, Monitor Send, Input Pad Switch w/LED Preamp Overload Indicator

Master Controls:

Monitor Signal w/LED Peak Level indicator, Master Reverb, Main Level w/LED Peak Level Indicator 9-Band Equalizer, 60-16,000Hz H/W/D: 7½"x30¼"x28½" Wt.: 65 lbs.



YIII SRS

Ĭ.

0

200 Watts RMS, Bi-Amp Slave 125 Watts Low, 75 Watts High

FOUALIZER

Zustom

0

Controls:


Main Level, Horn Level

Variable Active Crossover: 500, 800 & 1,000Hz, 12dB/Octave LED HF & LF Peak Overload Indicators Plywood Cabinetry

Rack Mountable (Hardware Optional) H/W/D: 111/4" x 183/" x 11" Wt.: 50 lbs.



0



XII SRM

12 Channel Stereo Mixer HiZ and LoZ Inputs per Channel Channel Controls:

Slide Gain, LF Equalizer, HF Equalizer, Reverb Send, Monitor Send, Pan, Input Pad Switch w/LED Preamp Overload Indicator

Master Controls:

Main Level (Left & Right) w/LED Peak Level Indicators, Master Reverb (Left & Right), Monitor Signal w/LED Peak Level Indicator

9-Band Equalizers (Left & Right), 60-16,000Hz H/W/D: 7%"x44"x30%" Wt.: 90 lbs.

410 Watts RMS, Bi-Amp Slave 275 Watts Low, 135 Watts High Controls:

Main Level, Horn Level Variable Active Crossover:

500, 800 & 1,000Hz, 12dB/Octave LED HF & LF Peak Overload Indicators Plywood Cabinetry

Rack Mountable (Hardware Optional) H/W/D: 111/2" x 183/4" x 11" Wt.: 56 lbs.



Zustom. SDUND REINFORGEMENT CARINETS

FLH-15 SRO CABINET

1-15" SRO Speaker 77 oz. Magnet, 2½" Voice Coil Horn/Bass Reflex Cabinet Design 8 Ohms 35Hz Cutoff Frequency All Plywood Cabinetry H/W/D: 34½"x30"x23¾" Wt.: 145 lbs.





MT-15 HORN-TWEETER

120° Radial Horn E-V 1823-M Horn Driver E-V ST 350-A 120° Radial Tweeter Passive Crossover @ 7,000Hz 8 Ohms All Plywood Cabinetry

H/W/D: 12"x30"x13" Wt.: 55 lbs.

VV... 00 103

SUGGESTED SOUND PEINFORCEMENT GROUPINGS



GROUP NO. 1

1 VIII SRM 2 FLH-15 SRO Cabinets 1 VIII SRS 2 MT-15 Horn-Tweeters



GROUP NO. 2 (STEREO) 1 XII SRM 2 VIII SRS 4 FLH-15 SRO Cabinets 2 VIII SRS 2 MT-15 Horn-Tweeters



MF-1012 HORN

40° x 90° High Frequency Horn MF-1012 Horn Driver 8 Ohms All Plywood Cabinetry H/W/D: 15½"x28¾"x21" Wt.: 82 lbs.

MF-1212 CABINET

2-12" SRO Speakers 77 oz. Magnet, 2½" Voice Coil Folded "W" Horn Cabinet Design 40Hz Cutoff Frequency 4 Ohms All Plywood Cabinetry H/W/D: 48" x 28" x 20" Wt.: 170 lbs.

All Power Rated at 1% THD, 1,000Hz.



GROUP NO. 3

1 VIII SRM 2 MF-12 12 Cabinets 1 XII SRS 2 MF-10 12 Horns



GROUP NO. 4 (STEREO)
1 XII SRM 4 MF-12 12 Cabinets
2 XII SRS 2 MF-16 12 Horns



III MONITOR AMPLIFIER

Controls

Gain, Equalizer "In-Out" Switch 7-Band Equalizer, 125-8,000Hz All Plywood Cabinetry

Rack Mountable (Hardware Optional) H/W/D: 71/2" x 181/4" x 11"

Wt.: 30 lbs

III MONITOR CABINET

77 oz. Magnet, 2½" Voice Coil E-V 8-HD 120° Diffraction Horn E-V 1823-M Horn Driver Passive Crossover 1,000Hz, 12dB/Octave

8 Ohms, 2 Required All Plywood Cabinetry H/W/D: 17"x24"x17"

Wt. (2): 125 lbs



WARRANTY

All Kustom amplifiers, power units, mixers, and their associated components and parts, except as specified below, are guaranteed, by Kustom Electronics, Inc., to the original purchaser to be free of defects in material or workmanship for a period of five (5) years from the -and-

All Kustom speaker cabinets and their associated components and parts, except as specified below, are guaranteed, by Kustom Electronics, Inc., to the original purchaser to be free of any defects in materials and workmanship for a period of one (1) year from the date of purchase.

- e of purchase.
 -provided(1) The original purchaser applies for a Kustom Warranty Card for the guaranteed product(s) within 10 days of the date of purchase;
- and.

 (2) Within the applicable period of this guarantee, the original purchaser delivers, at his own expense, the defective product(s) to an expense of the period of this guarantee, the original purchaser delivers, at his own expense, the defective product(s) to an expense of the period of this guarantee, the original purchaser delivers, at his own expense, the defective product(s) to an expense of the period of this guarantee. Authorized Kustom Dealer or Service Center for repair; or, where no such dealer or service center is nearby, obtains at his own expense from Kustom Electronics, Inc., an "Authorization Number" to return merchandise and ships, at his own expense, the defective product(s) to Kustom Electronics Customer Service, 909 W. Cherry, Chanute, KS 66720. The repaired product(s) will be returned freight prepaid.

 Kustom Electronics, Inc., will, at its option, repair or replace the defective part(s) or product(s)

Excluded from coverage by this warranty are exterior surfaces and finishes, face panels, grill cloth, covers, knobs, handles, casters

Excluded from coverage by this warranty are exterior surfaces and initialies, race panels, grin closify, covers, and appearance items.

Any modification of the Kustom-manufactured product(s) such as the installation of substitute parts, rewiring or other changes to the system without written authorization from Kustom Electronics, Inc., will automatically void this warranty.

Kustom Electronics, Inc., shall not be liable for any direct, special, incidental or consequental damages incurred by reason of a breach of the above provisions, except as expressly provided above.

The provisions of this warranty shall be covered by the local laws of the state where the original purchaser shall purchase products covered hereby, and shall be enforceable only to the extent, and in the manner, permitted under such laws.

EXCEPT AS HEREIN EXPRESSLY PROVIDED, KUSTOM ELECTRONICS, INC., MAKES NO WARRANTY, EXPRESSED OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR OTHERWISE.

KUSTOM ELECTRONICS, INC. 1010 WEST CHESTNUT, CHANUTE, KANSAS 66720

Kustom '75 POCKET PRICE LIST

SOUND RE	INFORCEMENT EQUIPMENT	UNIT PRICE	COVER	TOTAL
VIII SRM	8 Channel Mixer	\$1099.00	\$18.00	\$1117.00
XII SRM	12 Channel Stereo Mixer	1799.00	22.00	1821.00
VIII SRS	200 Watt RMS Slave	389.00	10.00	399.00
XII SRS	410 Watt RMS Slave	549.00	10.00	559.00
FLH-15 SRO	Horn Cab; 1 - 15" SRO Speaker	370.00	35.00	405.00
MT-15	Mid-Range Horn plus Tweeter	250.00	15.00	265.00
MF-1212	Folded Horn Cab; 2 - 12" SRO Speakers	550.00	35.00	585.00
MF-1012	40 x 90 Radial Horn	650.00	20.00	670.00

MONITORS & ACCESSORIES

II Monitor Cab	2 - 10" Spkrs; Self-contained volume control	90.00	13.00	103.00
III Monitor Amp	130 W RMS Amplifier with Equalizer	339.00	10.00	349.00
III Monitor Cab	1 - 12" SRO Spkr. plus 120° Radial Horn; 2 required	330.00 ea.	14.00 ea.	688.00
SNAKE	150' of 27 Shielded Pair Cable; 2 J-Boxes	799.00	NA	799.00

(over)

Several Suggested Sound Reinforcement Groupings*

584 Z 112 H 32					
QTY.		COVER		TOTAL	
REQD, ITEM		PRICE	PRICE	PRICE	
1	VIII SRM	\$1099.00	\$18.00	\$1117.00	
1	VIII SRS	389.00	10.00	399.00	
2 2	FLH-15 SRO	740.00	70.00	810.00	
2	MT-15	500.00	30.00	530.00	
		2728.00	128.00	2856.00	
1	XII SRM	1799.00	22.00	1821.00	
2	XII SRS	1098.00	20.00	1118.00	
4	MF 1212	2200.00	140.00	2340.00	
2	MF 1012	1300.00	40.00	1340.00	
6397.00 222.00 6619					
1	XII SRM	1799.00	22.00	1821.00	
2	VIII SRS	778.00	20.00	798.00	
2	FLH-15 SRO	740.00	70.00	810.00	
2	MT-15	500.00	30.00	530.00	
		3817.00	142.00	3959.00	
*Monitor and Accessories not included					

*Monitor and Accessories not included

AMP SYSTEMS

Kustom '75 POCKET PRICE LIST

UNIT PRICES

SYSTEM PRICES

NOTES

	AMP	COVER	CAB	COVER	WO/COVER	W/COVER	
IB	\$229.00	\$15.00			\$ 229.00	\$ 244.00	30 W RMS; 1 - 15" Spkr.
II B	249.00	10.00	150.00	17.00	399.00	426.00	60 W RMS; 1 - 15" Spkr.
III B	299.00	10.00	300.00	20.00	599.00	629.00	130 W RMS; 2 - 15" Spkrs.
IV B	699.00	13.00	500.00	30.00	1199.00	1242.00	276 W RMS; 4 - 12" Spkrs.
			700.00	30.00	1399.00	1442.00	276 W RMS; 4 - 12" SRO Spkrs.
™ B-SRO	699.00	13.00	700.00	30.00	269.00	282.00	30 W RMS; 1 - 12" Spkr.
IL	269.00	13.00			449.00	464.00	60 W RMS; 2 - 12" Spkrs.
IIL	449.00	15.00	000.00	20.00	649.00	679.00	130 W RMS; 4 - 12" Spkrs.
ш L	349.00	10.00	300.00	20.00		1292.00	276 W RMS; 4 - 12" Spkrs.
IV L	749.00	13.00	500.00	30.00	1249.00		276 W RMS; Two 4 - 12" Cabs, required
IV L Stack	749.00	13.00	350.00 ea.	30.00 ea.	1449.00	1522.00	270 W MWG, 1WO 4 - 12 Oabs, required
PA SYSTE	MS						
II PA*	379.00	11.00	75.00 ea.	13.00 ea.	529.00	566.00	60 W RMS; 2 2 - 10" Cols.
II A-PA	379.00	11.00	130.00 ea.	18.00 ea.	639.00	686.00	60 W RMS; 2 4 - 10" Cols.
III PA	599.00	13.00	220.00 ea.	20.00 ea.	1039.00	1092.00	130 W RMS; 2 2 - 10" + 2 - 12" Cols.
III A-PA	599.00						
		13.00	330.00 ea.	25.00 ea.	1259.00	1322.00	130 W RMS; 2 2 - 12" + H Cols.
T/T PA		13.00	330.00 ea.	25.00 ea.	1259.00	1322.00	200 W RMS; 8 Channels Complete
VI PA	899.00	16.00		25.00 ea. 35.00 ea.	1259.00	1322.00	200 W RMS; 8 Channels 2 FLH-15 Cabs.
FLH-15			250.00 ea.	35.00 ea.	1259.00	1322.00	200 W RMS; 8 Channels 2 FLH-15 Cabs. 2 M-15 Mid-Range Horns
FLH-15 M-15	899.00	16.00					200 W RMS; 8 Channels 2 FLH-15 Cabs. 2 M-15 Mid-Range Horns 200 W RMS; 8 Channels Complete
FLH-15	899.00 899.00		250.00 ea.	35.00 ea.			200 W RMS; 8 Channels 2 FLH-15 Cabs. 2 M-15 Mid-Range Horns

*Two additional columns can be added. Com

(over)